

CB TEST CERTIFICATE CERTIFICAT D'ESSAI OCProduct
Produit

Power Supply, Open-Frame Building-in Type

Name and address of the applicant
Nom et adresse du demandeurAstec International Ltd.
16th Floor, Lu Plaza, 2 Wing Yip Street, Kwun Tong,
Kowloon,
Hong KongName and address of the manufacturer
Nom et adresse du fabricantAstec International Ltd.
16th Floor, Lu Plaza, 2 Wing Yip Street, Kwun Tong,
Kowloon,
Hong KongName and address of the factory
Nom et adresse de l'usineNote: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la deuxième page Additional information on page 2Ratings and principal characteristics
Valeurs nominales et caractéristiques principalesAC input: 1.6A 100-250V 50/60/440Hz or DC input: 1.0A 120-300Vdc
Cl. I, DC-outputs: 5A +5V, 2.5A +12V, 0.7ATrademark (if any)
Marque de fabrique (si elle existe)

ASTECC

Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeurModel / Type Ref.
Ref. De type

LPT42

Additional information (if necessary may also be reported on page 2)

Maximum continuous output power is 40W (Convection cooling) Maximum continuous output power is 55W (30CFM forced cooling).

Les informations complémentaires (si nécessaire, peuvent être indiqués sur la deuxième page)

 Additional information on page 2

A sample of the product was tested and found to be in conformity with

Un échantillon de ce produit a été essayé et a été considéré conforme à la

IEC 60950-1(ed.2);am1;am2

As shown in the Test Report Ref. No. which forms part of this Certificate

289348

Comme indiqué dans le Rapport de tests numéro de référence qui constitue partie de ce Certificat

This CB Test Certificate is issued by the National Certification Body
Ce Certificat de test OC est établi par l'Organisme National de CertificationGaustadalléen 30
NO-0373 Oslo, Norway

Date: 15-07-2015

Signature: Nastaran Vadoodi
Certification Department

Astec Power Philippines Inc.
Main Avenue Corner Road "J" Cavite Export Processing
Zone Rosario, Cavite 4106,
Philippines

Astec Electronics (Luoding) Co., Ltd.
No. 68, Baocheng Road East, Fucheng, Luoding,
Guangdong, 527200
China

Astec Power Philippines Inc.
104 Laguna Blvd., Laguna Technopark, Sta. Rosa
Laguna 4026,
Philippines

Zhongshan General Carton Box Factory Co., Ltd.
No. 62 Qi Guan Road West, Shiqi District, Zhongshan
City, Guangdong, 528400
China

CB TEST CERTIFICATE CERTIFICAT D'ESSAI OCProduct
Produit

Power Supply, Open-Frame Building-in Type

Name and address of the applicant
Nom et adresse du demandeurAstec International Ltd.
16th Floor, Lu Plaza, 2 Wing Yip Street, Kwun Tong,
Kowloon,
Hong KongName and address of the manufacturer
Nom et adresse du fabricantAstec International Ltd.
16th Floor, Lu Plaza, 2 Wing Yip Street, Kwun Tong,
Kowloon,
Hong KongName and address of the factory
Nom et adresse de l'usineNote: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la deuxième page Additional information on page 2Ratings and principal characteristics
Valeurs nominales et caractéristiques principalesAC input: 1.6A 100-250V 50/60/440Hz or DC input: 1.0A 120-300Vdc
Cl. I, DC-outputs: 5A +5V, 2.5A +15V, 0.7A -15VTrademark (if any)
Marque de fabrique (si elle existe)

ASTECC

Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeurModel / Type Ref.
Ref. De type

LPT45

Additional information (if necessary may also be reported on page 2)

Maximum continuous output power is 40W (Convection cooling) Maximum continuous output power is 55W (30CFM forced cooling).

Les informations complémentaires (si nécessaire, peuvent être indiqués sur la deuxième page)

 Additional information on page 2

A sample of the product was tested and found to be in conformity with

Un échantillon de ce produit a été essayé et a été considéré conforme à la

IEC 60950-1(ed.2);am1;am2

As shown in the Test Report Ref. No. which forms part of this Certificate

289348

Comme indiqué dans le Rapport de tests numéro de référence qui constitue partie de ce Certificat

This CB Test Certificate is issued by the National Certification Body
Ce Certificat de test OC est établi par l'Organisme National de CertificationGaustadalléen 30
NO-0373 Oslo, Norway

Date: 15-07-2015

Signature: Nastaran Vadoodi
Certification Department

Astec Power Philippines Inc.
Main Avenue Corner Road "J" Cavite Export Processing
Zone Rosario, Cavite 4106,
Philippines

Astec Electronics (Luoding) Co., Ltd.
No. 68, Baocheng Road East, Fucheng, Luoding,
Guangdong, 527200
China

Astec Power Philippines Inc.
104 Laguna Blvd., Laguna Technopark, Sta. Rosa
Laguna 4026,
Philippines

Zhongshan General Carton Box Factory Co., Ltd.
No. 62 Qi Guan Road West, Shiqi District, Zhongshan
City, Guangdong, 528400
China

CB TEST CERTIFICATE CERTIFICAT D'ESSAI OCProduct
Produit

Power Supply, Open-Frame Building-in Type

Name and address of the applicant
Nom et adresse du demandeurAstec International Ltd.
16th Floor, Lu Plaza, 2 Wing Yip Street, Kwun Tong,
Kowloon,
Hong KongName and address of the manufacturer
Nom et adresse du fabricantAstec International Ltd.
16th Floor, Lu Plaza, 2 Wing Yip Street, Kwun Tong,
Kowloon,
Hong KongName and address of the factory
Nom et adresse de l'usineNote: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la deuxième page Additional information on page 2Ratings and principal characteristics
Valeurs nominales et caractéristiques principalesAC input: 1.6A 100-250V 50/60/440Hz or DC input: 1.0A 120-300Vdc
Cl. I, DC-outputs: 5A +5V, 2.5A +12V, 0.7A -5VTrademark (if any)
Marque de fabrique (si elle existe)

ASTECC

Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeurModel / Type Ref.
Ref. De type

LPT44

Additional information (if necessary may also be reported on page 2)

Maximum continuous output power is 40W (Convection cooling) Maximum continuous output power is 55W (30CFM forced cooling).

Les informations complémentaires (si nécessaire, peuvent être indiqués sur la deuxième page)

 Additional information on page 2

A sample of the product was tested and found to be in conformity with

Un échantillon de ce produit a été essayé et a été considéré conforme à la

IEC 60950-1(ed.2);am1;am2

As shown in the Test Report Ref. No. which forms part of this Certificate

289348

Comme indiqué dans le Rapport de tests numéro de référence qui constitue partie de ce Certificat

This CB Test Certificate is issued by the National Certification Body
Ce Certificat de test OC est établi par l'Organisme National de CertificationGaustadalléen 30
NO-0373 Oslo, Norway

Date: 15-07-2015

Signature: Nastaran Vadoodi
Certification Department

Astec Power Philippines Inc.
Main Avenue Corner Road "J" Cavite Export Processing
Zone Rosario, Cavite 4106,
Philippines

Astec Electronics (Luoding) Co., Ltd.
No. 68, Baocheng Road East, Fucheng, Luoding,
Guangdong, 527200
China

Astec Power Philippines Inc.
104 Laguna Blvd., Laguna Technopark, Sta. Rosa
Laguna 4026,
Philippines

Zhongshan General Carton Box Factory Co., Ltd.
No. 62 Qi Guan Road West, Shiqi District, Zhongshan
City, Guangdong, 528400
China

CB TEST CERTIFICATE CERTIFICAT D'ESSAI OCProduct
Produit

Power Supply, Open-Frame Building-in Type

Name and address of the applicant
Nom et adresse du demandeurAstec International Ltd.
16th Floor, Lu Plaza, 2 Wing Yip Street, Kwun Tong,
Kowloon,
Hong KongName and address of the manufacturer
Nom et adresse du fabricantAstec International Ltd.
16th Floor, Lu Plaza, 2 Wing Yip Street, Kwun Tong,
Kowloon,
Hong KongName and address of the factory
Nom et adresse de l'usineNote: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la deuxième page Additional information on page 2Ratings and principal characteristics
Valeurs nominales et caractéristiques principalesAC input: 1.6A 100-250V 50/60/440Hz or DC input: 1.0A 120-300Vdc
Cl. I, DC-outputs: 8A +5V, 0.7A +12V, 0.7A -12VTrademark (if any)
Marque de fabrique (si elle existe)

ASTECC

Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeurModel / Type Ref.
Ref. De type

LPT43

Additional information (if necessary may also be reported on page 2)

Maximum continuous output power is 40W (Convection cooling) Maximum continuous output power is 55W (30CFM forced cooling).

Les informations complémentaires (si nécessaire, peuvent être indiqués sur la deuxième page)

 Additional information on page 2

A sample of the product was tested and found to be in conformity with

Un échantillon de ce produit a été essayé et a été considéré conforme à la

IEC 60950-1(ed.2);am1;am2

As shown in the Test Report Ref. No. which forms part of this Certificate

289348

Comme indiqué dans le Rapport de tests numéro de référence qui constitue partie de ce Certificat

This CB Test Certificate is issued by the National Certification Body
Ce Certificat de test OC est établi par l'Organisme **National de Certification**Gaustadalléen 30
NO-0373 Oslo, Norway

Date: 15-07-2015

Signature: Nastaran Vadoodi
Certification Department

Astec Power Philippines Inc.
Main Avenue Corner Road "J" Cavite Export Processing
Zone Rosario, Cavite 4106,
Philippines

Astec Electronics (Luoding) Co., Ltd.
No. 68, Baocheng Road East, Fucheng, Luoding,
Guangdong, 527200
China

Astec Power Philippines Inc.
104 Laguna Blvd., Laguna Technopark, Sta. Rosa
Laguna 4026,
Philippines

Zhongshan General Carton Box Factory Co., Ltd.
No. 62 Qi Guan Road West, Shiqi District, Zhongshan
City, Guangdong, 528400
China